			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	5	7
Diagnosis		% within Sex	.2%	1.1%	.5%
	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.1%
	2-4	Count	2		2
		% within Sex	.2%		.1%
	5-12	Count		1	1
		% within Sex		.2%	.1%
	13-19	Count	29	47	76
		% within Sex	3.2%	10.8%	5.6%
	20-24	Count	117	85	202
		% within Sex	12.8%	19.5%	14.9%
	25-29	Count	169	91	260
		% within Sex	18.5%	20.8%	19.2%
	30-39	Count	367	124	491
		% within Sex	40.1%	28.4%	36.3%
	40-49	Count	174	66	240
		% within Sex	19.0%	15.1%	17.8%
	50-59	Count	45	15	60
		% within Sex	4.9%	3.4%	4.4%
	60-69	Count	7	2	9
		% within Sex	.8%	.5%	.7%
	70+	Count	3	_	3
		% within Sex	.3%		.2%
Total		Count	915	437	1352
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	309	65	374
		% within Sex	33.8%	14.9%	27.7%
	African American	Count	409	318	727
		% within Sex	44.7%	72.8%	53.8%
	Hispanic	Count	190	50	240
		% within Sex	20.8%	11.4%	17.8%
	Asian-Pacific Islander	Count	4	4	8
		% within Sex	.4%	.9%	.6%
	Am Indian-Alaskan	Count	2		2
		% within Sex	.2%		.1%
	Not Specified	Count	1		1
		% within Sex	.1%		.1%
Total		Count	915	437	1352
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	519		519
Exposure		% within Sex	56.7%		38.4%
	IDU	Count	61	62	123
		% within Sex	6.7%	14.2%	9.1%
	M-M & IDU	Count	34		34
		% within Sex	3.7%		2.5%
	Heterosexual Contact	Count	83	231	314
		% within Sex	9.1%	52.9%	23.2%
	Transfusion	Count		1	1
		% within Sex		.2%	.1%
	Not Classified	Count	214	136	350
		% within Sex	23.4%	31.1%	25.9%
	Ped Parent at Risk	Count	4	6	10
		% within Sex	.4%	1.4%	.7%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.1%
Total		Count	915	437	1352
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		374	374
		% within Adult-Ped		27.9%	27.7%
	African American	Count	10	717	727
		% within Adult-Ped	90.9%	53.5%	53.8%
	Hispanic	Count	1	239	240
		% within Adult-Ped	9.1%	17.8%	17.8%
	Asian-Pacific Islander	Count		8	8
		% within Adult-Ped		.6%	.6%
	Am Indian-Alaskan	Count		2	2
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		1	1
		% within Adult-Ped		.1%	.1%
Total		Count	11	1341	1352
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	4	911	915
		% within Adult-Ped	36.4%	67.9%	67.7%
	Female	Count	7	430	437
		% within Adult-Ped	63.6%	32.1%	32.3%
Total		Count	11	1341	1352
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ЭX	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2	1	3
Diagnosis		% within Sex	.3%	.2%	.2%
	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.1%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count		2	2
		% within Sex		.5%	.2%
	13-19	Count	29	69	98
		% within Sex	3.7%	15.8%	8.1%
	20-24	Count	99	86	185
		% within Sex	12.8%	19.7%	15.3%
	25-29	Count	127	75	202
		% within Sex	16.4%	17.2%	16.7%
	30-39	Count	323	124	447
		% within Sex	41.7%	28.4%	36.9%
	40-49	Count	141	60	201
		% within Sex	18.2%	13.7%	16.6%
	50-59	Count	42	16	58
		% within Sex	5.4%	3.7%	4.8%
	60-69	Count	8	1	9
		% within Sex	1.0%	.2%	.7%
	70+	Count	3	2	5
		% within Sex	.4%	.5%	.4%
Total		Count	775	437	1212
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	257	61	318
		% within Sex	33.2%	14.0%	26.2%
	African American	Count	389	336	725
		% within Sex	50.2%	76.9%	59.8%
	Hispanic	Count	127	38	165
		% within Sex	16.4%	8.7%	13.6%
	Asian-Pacific Islander	Count	2	2	4
		% within Sex	.3%	.5%	.3%
Total		Count	775	437	1212
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	371		371
Exposure		% within Sex	47.9%		30.6%
	IDU	Count	76	72	148
		% within Sex	9.8%	16.5%	12.2%
	M-M & IDU	Count	53		53
		% within Sex	6.8%		4.4%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	74	252	326
		% within Sex	9.5%	57.7%	26.9%
	Transfusion	Count	1		1
		% within Sex	.1%		.1%
	Not Classified	Count	196	109	305
		% within Sex	25.3%	24.9%	25.2%
	Ped Parent at Risk	Count	3	3	6
		% within Sex	.4%	.7%	.5%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.1%
Total		Count	775	437	1212
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

			Adult	:-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		318	318
		% within Adult-Ped		26.4%	26.2%
	African American	Count	5	720	725
		% within Adult-Ped	71.4%	59.8%	59.8%
	Hispanic	Count	2	163	165
		% within Adult-Ped	28.6%	13.5%	13.6%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		.3%	.3%
Total		Count	7	1205	1212
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	3	772	775
		% within Adult-Ped	42.9%	64.1%	63.9%
	Female	Count	4	433	437
		% within Adult-Ped	57.1%	35.9%	36.1%
Total		Count	7	1205	1212
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	47	49	96
Diagnosis		% within Sex	1.6%	3.0%	2.1%
	1 (12-23 mo)	Count	11	13	24
		% within Sex	.4%	.8%	.5%
	2-4	Count	16	8	24
		% within Sex	.5%	.5%	.5%
	5-12	Count	15	10	25
		% within Sex	.5%	.6%	.5%
	13-19	Count	85	223	308
		% within Sex	2.8%	13.4%	6.6%
	20-24	Count	370	332	702
		% within Sex	12.3%	20.0%	15.0%
	25-29	Count	534	299	833
		% within Sex	17.7%	18.0%	17.8%
	30-39	Count	1217	441	1658
		% within Sex	40.4%	26.6%	35.5%
	40-49	Count	543	212	755
		% within Sex	18.0%	12.8%	16.1%
	50-59	Count	142	63	205
		% within Sex	4.7%	3.8%	4.4%
	60-69	Count	25	8	33
		% within Sex	.8%	.5%	.7%
	70+	Count	9	3	12
		% within Sex	.3%	.2%	.3%
	Unknown	Count	2		2
		% within Sex	.1%		.0%
Total		Count	3016	1661	4677
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1037	240	1277
		% within Sex	34.4%	14.4%	27.3%
	African American	Count	1446	1227	2673
		% within Sex	47.9%	73.9%	57.2%
	Hispanic	Count	513	181	694
		% within Sex	17.0%	10.9%	14.8%
	Asian-Pacific Islander	Count	12	7	19
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	4	1	5
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	4	5	9
		% within Sex	.1%	.3%	.2%
Total		Count	3016	1661	4677
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Mode of Exposure * Sex Crosstabulation^a

			Se	x	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	1556		1556
Exposure		% within Sex	51.6%		33.3%
	IDU	Count	283	282	565
		% within Sex	9.4%	17.0%	12.1%
	M-M & IDU	Count	199		199
		% within Sex	6.6%		4.3%
	Hemophiliac	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	300	903	1203
		% within Sex	9.9%	54.4%	25.7%
	Transfusion	Count	1	2	3
		% within Sex	.0%	.1%	.1%
	Not Classified	Count	586	393	979
		% within Sex	19.4%	23.7%	20.9%
	Ped Hemophiliac	Count	4	1	5
		% within Sex	.1%	.1%	.1%
	Ped Parent at Risk	Count	74	73	147
		% within Sex	2.5%	4.4%	3.1%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Other-Undet	Count	10	6	16
		% within Sex	.3%	.4%	.3%
Total		Count	3016	1661	4677
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	26	1250	1	1277
		% within Adult-Ped	15.4%	27.7%	50.0%	27.3%
	African American	Count	117	2556		2673
		% within Adult-Ped	69.2%	56.7%		57.2%
	Hispanic	Count	20	673	1	694
		% within Adult-Ped	11.8%	14.9%	50.0%	14.8%
	Asian-Pacific Islander	Count		19		19
		% within Adult-Ped		.4%		.4%
	Am Indian-Alaskan	Count		5		5
		% within Adult-Ped		.1%		.1%
	Not Specified	Count	6	3		9
		% within Adult-Ped	3.6%	.1%		.2%
Total		Count	169	4506	2	4677
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 6

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	89	2925	2	3016
		% within Adult-Ped	52.7%	64.9%	100.0%	64.5%
	Female	Count	80	1581		1661
		% within Adult-Ped	47.3%	35.1%		35.5%
Total		Count	169	4506	2	4677
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	42	49	91
Diagnosis		% within Sex	1.4%	3.0%	2.0%
	1 (12-23 mo)	Count	11	13	24
		% within Sex	.4%	.8%	.5%
	2-4	Count	16	8	24
		% within Sex	.5%	.5%	.5%
	5-12	Count	13	9	22
		% within Sex	.4%	.5%	.5%
	13-19	Count	85	223	308
		% within Sex	2.9%	13.5%	6.7%
	20-24	Count	370	331	701
		% within Sex	12.4%	20.0%	15.2%
	25-29	Count	531	298	829
		% within Sex	17.9%	18.0%	17.9%
	30-39	Count	1205	439	1644
		% within Sex	40.5%	26.6%	35.6%
	40-49	Count	533	210	743
		% within Sex	17.9%	12.7%	16.1%
	50-59	Count	134	61	195
		% within Sex	4.5%	3.7%	4.2%
	60-69	Count	23	7	30
		% within Sex	.8%	.4%	.6%
	70+	Count	7	3	10
		% within Sex	.2%	.2%	.2%
	Unknown	Count	2		2
		% within Sex	.1%		.0%
Total		Count	2972	1651	4623
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ЭX	
			Male	Female	Total
Current	0 (0-11 mo)	Count		2	2
Age		% within Sex		.1%	.0%
	1 (12-23 mo)	Count	3	4	7
		% within Sex	.1%	.2%	.2%
	2-4	Count	11	9	20
		% within Sex	.4%	.5%	.4%
	5-12	Count	48	53	101
		% within Sex	1.6%	3.2%	2.2%
	13-19	Count	31	54	85
		% within Sex	1.0%	3.3%	1.8%
	20-24	Count	171	228	399
		% within Sex	5.8%	13.8%	8.6%
	25-29	Count	314	284	598
		% within Sex	10.6%	17.2%	12.9%
	30-39	Count	1146	568	1714
		% within Sex	38.6%	34.4%	37.1%
	40-49	Count	895	320	1215
		% within Sex	30.1%	19.4%	26.3%
	50-59	Count	295	105	400
		% within Sex	9.9%	6.4%	8.7%
	60-69	Count	42	20	62
		% within Sex	1.4%	1.2%	1.3%
	70+	Count	16	4	20
		% within Sex	.5%	.2%	.4%
Total		Count	2972	1651	4623
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1022	238	1260
		% within Sex	34.4%	14.4%	27.3%
	African American	Count	1421	1219	2640
		% within Sex	47.8%	73.8%	57.1%
	Hispanic	Count	510	181	691
		% within Sex	17.2%	11.0%	14.9%
	Asian-Pacific Islander	Count	11	7	18
		% within Sex	.4%	.4%	.4%
	Am Indian-Alaskan	Count	4	1	5
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	4	5	9
		% within Sex	.1%	.3%	.2%
Total		Count	2972	1651	4623
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	1544		1544
Exposure		% within Sex	52.0%		33.4%
	IDU	Count	273	280	553
		% within Sex	9.2%	17.0%	12.0%
	M-M & IDU	Count	198		198
		% within Sex	6.7%		4.3%
	Hemophiliac	Count	2	1	3
		% within Sex	.1%	.1%	.1%
	Heterosexual Contact	Count	294	900	1194
		% within Sex	9.9%	54.5%	25.8%
	Transfusion	Count	1	2	3
		% within Sex	.0%	.1%	.1%
	Not Classified	Count	578	389	967
		% within Sex	19.4%	23.6%	20.9%
	Ped Hemophiliac	Count	3	1	4
		% within Sex	.1%	.1%	.1%
	Ped Parent at Risk	Count	69	72	141
		% within Sex	2.3%	4.4%	3.0%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Other-Undet	Count	9	6	15
		% within Sex	.3%	.4%	.3%
Total		Count	2972	1651	4623
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	23	1236	1	1260
		% within Adult-Ped	14.3%	27.7%	50.0%	27.3%
	African American	Count	112	2528		2640
		% within Adult-Ped	69.6%	56.7%		57.1%
	Hispanic	Count	20	670	1	691
		% within Adult-Ped	12.4%	15.0%	50.0%	14.9%
	Asian-Pacific Islander	Count		18		18
		% within Adult-Ped		.4%		.4%
	Am Indian-Alaskan	Count		5		5
		% within Adult-Ped		.1%		.1%
	Not Specified	Count	6	3		9
		% within Adult-Ped	3.7%	.1%		.2%
Total		Count	161	4460	2	4623
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 6

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Sex	Male	Count	82	2888	2	2972
		% within Adult-Ped	50.9%	64.8%	100.0%	64.3%
	Female	Count	79	1572		1651
		% within Adult-Ped	49.1%	35.2%		35.7%
Total		Count	161	4460	2	4623
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 6

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1		1
Diagnosis		% within Sex	.1%		.1%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	13-19	Count	4	6	10
		% within Sex	.6%	2.3%	1.0%
	20-24	Count	32	20	52
		% within Sex	4.4%	7.8%	5.3%
	25-29	Count	77	52	129
		% within Sex	10.6%	20.3%	13.1%
	30-39	Count	286	77	363
		% within Sex	39.4%	30.1%	37.0%
	40-49	Count	214	73	287
		% within Sex	29.5%	28.5%	29.3%
	50-59	Count	81	23	104
		% within Sex	11.2%	9.0%	10.6%
	60-69	Count	25	5	30
		% within Sex	3.4%	2.0%	3.1%
	70+	Count	4		4
		% within Sex	.6%		.4%
Total		Count	725	256	981
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	226	21	247
		% within Sex	31.2%	8.2%	25.2%
	African American	Count	324	198	522
		% within Sex	44.7%	77.3%	53.2%
	Hispanic	Count	170	37	207
		% within Sex	23.4%	14.5%	21.1%
	Asian-Pacific Islander	Count	5		5
		% within Sex	.7%		.5%
Total		Count	725	256	981
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	397		397
Exposure		% within Sex	54.8%		40.5%
	IDU	Count	67	53	120
		% within Sex	9.2%	20.7%	12.2%
	M-M & IDU	Count	41		41
		% within Sex	5.7%		4.2%
	Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	79	132	211
		% within Sex	10.9%	51.6%	21.5%
	Transfusion	Count	1		1
		% within Sex	.1%		.1%
	Not Classified	Count	137	71	208
		% within Sex	18.9%	27.7%	21.2%
	Ped Parent at Risk	Count	1		1
		% within Sex	.1%		.1%
	Ped Other-Undet	Count	1		1
		% within Sex	.1%		.1%
Total		Count	725	256	981
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		247	247
		% within Adult-Ped		25.2%	25.2%
	African American	Count	1	521	522
		% within Adult-Ped	50.0%	53.2%	53.2%
	Hispanic	Count		207	207
		% within Adult-Ped		21.1%	21.1%
	Asian-Pacific Islander	Count	1	4	5
		% within Adult-Ped	50.0%	.4%	.5%
Total		Count	2	979	981
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	2	723	725
		% within Adult-Ped	100.0%	73.9%	73.9%
	Female	Count		256	256
		% within Adult-Ped		26.1%	26.1%
Total		Count	2	979	981
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	2-4	Count	1		1
Diagnosis		% within Sex	.2%		.1%
	5-12	Count	1		1
		% within Sex	.2%		.1%
	13-19	Count	3	3	6
		% within Sex	.5%	1.2%	.7%
	20-24	Count	28	28	56
		% within Sex	4.9%	10.9%	6.7%
	25-29	Count	53	50	103
		% within Sex	9.2%	19.5%	12.4%
	30-39	Count	227	97	324
		% within Sex	39.6%	37.7%	39.0%
	40-49	Count	182	55	237
		% within Sex	31.8%	21.4%	28.6%
	50-59	Count	56	15	71
		% within Sex	9.8%	5.8%	8.6%
	60-69	Count	14	8	22
		% within Sex	2.4%	3.1%	2.7%
	70+	Count	8	1	9
		% within Sex	1.4%	.4%	1.1%
Total		Count	573	257	830
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	175	26	201
		% within Sex	30.5%	10.1%	24.2%
	African American	Count	273	193	466
		% within Sex	47.6%	75.1%	56.1%
	Hispanic	Count	121	37	158
		% within Sex	21.1%	14.4%	19.0%
	Asian-Pacific Islander	Count	4	1	5
		% within Sex	.7%	.4%	.6%
Total		Count	573	257	830
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	255		255
Exposure		% within Sex	44.5%		30.7%
	IDU	Count	60	40	100
		% within Sex	10.5%	15.6%	12.0%
	M-M & IDU	Count	30		30
		% within Sex	5.2%		3.6%
	Hemophiliac	Count	2		2
		% within Sex	.3%		.2%
	Heterosexual Contact	Count	84	151	235
		% within Sex	14.7%	58.8%	28.3%
	Not Classified	Count	140	65	205
		% within Sex	24.4%	25.3%	24.7%
	Ped Parent at Risk	Count	2		2
		% within Sex	.3%		.2%
	Ped Other-Undet	Count		1	1
		% within Sex		.4%	.1%
Total		Count	573	257	830
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult	Adult-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count		201	201
		% within Adult-Ped		24.3%	24.2%
	African American	Count	1	465	466
		% within Adult-Ped	50.0%	56.2%	56.1%
	Hispanic	Count	1	157	158
		% within Adult-Ped	50.0%	19.0%	19.0%
	Asian-Pacific Islander	Count		5	5
		% within Adult-Ped		.6%	.6%
Total		Count	2	828	830
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	2	571	573
		% within Adult-Ped	100.0%	69.0%	69.0%
	Female	Count		257	257
		% within Adult-Ped		31.0%	31.0%
Total		Count	2	828	830
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ЭX	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	34	32	66
Diagnosis		% within Sex	.2%	1.0%	.3%
	1 (12-23 mo)	Count	20	10	30
		% within Sex	.1%	.3%	.1%
	2-4	Count	22	28	50
		% within Sex	.1%	.9%	.2%
	5-12	Count	15	16	31
		% within Sex	.1%	.5%	.1%
	13-19	Count	89	95	184
		% within Sex	.5%	3.1%	.8%
	20-24	Count	820	317	1137
		% within Sex	4.3%	10.3%	5.1%
	25-29	Count	2868	573	3441
		% within Sex	15.0%	18.7%	15.5%
	30-39	Count	8847	1137	9984
		% within Sex	46.3%	37.0%	45.0%
	40-49	Count	4588	588	5176
		% within Sex	24.0%	19.2%	23.4%
	50-59	Count	1334	194	1528
		% within Sex	7.0%	6.3%	6.9%
	60-69	Count	375	61	436
		% within Sex	2.0%	2.0%	2.0%
	70+	Count	83	19	102
		% within Sex	.4%	.6%	.5%
Total		Count	19095	3070	22165
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	10461	627	11088
		% within Sex	54.8%	20.4%	50.0%
	African American	Count	5640	2016	7656
		% within Sex	29.5%	65.7%	34.5%
	Hispanic	Count	2914	422	3336
		% within Sex	15.3%	13.7%	15.1%
	Asian-Pacific Islander	Count	69	5	74
		% within Sex	.4%	.2%	.3%
	Am Indian-Alaskan	Count	10		10
		% within Sex	.1%		.0%
	Not Specified	Count	1		1
		% within Sex	.0%		.0%
Total		Count	19095	3070	22165
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	X	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	12813		12813
Exposure		% within Sex	67.1%		57.8%
	IDU	Count	1782	977	2759
		% within Sex	9.3%	31.8%	12.4%
	M-M & IDU	Count	1920		1920
		% within Sex	10.1%		8.7%
	Hemophiliac	Count	54	2	56
		% within Sex	.3%	.1%	.3%
	Heterosexual Contact	Count	1157	1545	2702
		% within Sex	6.1%	50.3%	12.2%
	Transfusion	Count	77	41	118
		% within Sex	.4%	1.3%	.5%
	Not Classified	Count	1187	407	1594
		% within Sex	6.2%	13.3%	7.2%
	Ped Hemophiliac	Count	15		15
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	79	84	163
		% within Sex	.4%	2.7%	.7%
	Ped Transfusion	Count	10	11	21
		% within Sex	.1%	.4%	.1%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	1	2	3
		% within Sex	.0%	.1%	.0%
Total		Count	19095	3070	22165
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	29	11059	11088
		% within Adult-Ped	16.4%	50.3%	50.0%
	African American	Count	107	7549	7656
		% within Adult-Ped	60.5%	34.3%	34.5%
	Hispanic	Count	40	3296	3336
		% within Adult-Ped	22.6%	15.0%	15.1%
	Asian-Pacific Islander	Count	1	73	74
		% within Adult-Ped	.6%	.3%	.3%
	Am Indian-Alaskan	Count		10	10
		% within Adult-Ped		.0%	.0%
	Not Specified	Count		1	1
		% within Adult-Ped		.0%	.0%
Total		Count	177	21988	22165
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	91	19004	19095
		% within Adult-Ped	51.4%	86.4%	86.1%
	Female	Count	86	2984	3070
		% within Adult-Ped	48.6%	13.6%	13.9%
Total		Count	177	21988	22165
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	9	14	23
Diagnosis		% within Sex	.1%	.8%	.3%
	1 (12-23 mo)	Count	8	5	13
		% within Sex	.1%	.3%	.1%
	2-4	Count	10	11	21
		% within Sex	.1%	.6%	.2%
	5-12	Count	7	8	15
		% within Sex	.1%	.5%	.2%
	13-19	Count	44	65	109
		% within Sex	.6%	3.7%	1.2%
	20-24	Count	326	179	505
		% within Sex	4.7%	10.2%	5.8%
	25-29	Count	954	342	1296
		% within Sex	13.7%	19.5%	14.8%
	30-39	Count	3221	649	3870
		% within Sex	46.1%	37.0%	44.3%
	40-49	Count	1778	356	2134
		% within Sex	25.5%	20.3%	24.4%
	50-59	Count	504	103	607
		% within Sex	7.2%	5.9%	6.9%
	60-69	Count	101	18	119
		% within Sex	1.4%	1.0%	1.4%
	70+	Count	19	3	22
		% within Sex	.3%	.2%	.3%
Total		Count	6981	1753	8734
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	2-4	Count		1	1
Age		% within Sex		.1%	.0%
	5-12	Count	24	28	52
		% within Sex	.3%	1.6%	.6%
	13-19	Count	10	20	30
		% within Sex	.1%	1.1%	.3%
	20-24	Count	65	60	125
		% within Sex	.9%	3.4%	1.4%
	25-29	Count	234	186	420
		% within Sex	3.4%	10.6%	4.8%
	30-39	Count	2090	665	2755
		% within Sex	29.9%	37.9%	31.5%
	40-49	Count	2993	533	3526
		% within Sex	42.9%	30.4%	40.4%
	50-59	Count	1211	192	1403
		% within Sex	17.3%	11.0%	16.1%
	60-69	Count	291	57	348
		% within Sex	4.2%	3.3%	4.0%
	70+	Count	63	11	74
		% within Sex	.9%	.6%	.8%
Total		Count	6981	1753	8734
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	3082	299	3381
		% within Sex	44.1%	17.1%	38.7%
	African American	Count	2482	1178	3660
		% within Sex	35.6%	67.2%	41.9%
	Hispanic	Count	1371	274	1645
		% within Sex	19.6%	15.6%	18.8%
	Asian-Pacific Islander	Count	39	2	41
		% within Sex	.6%	.1%	.5%
	Am Indian-Alaskan	Count	6		6
		% within Sex	.1%		.1%
	Not Specified	Count	1		1
		% within Sex	.0%		.0%
Total		Count	6981	1753	8734
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	4251		4251
Exposure		% within Sex	60.9%		48.7%
	IDU	Count	729	493	1222
		% within Sex	10.4%	28.1%	14.0%
	M-M & IDU	Count	678		678
		% within Sex	9.7%		7.8%
	Hemophiliac	Count	14	2	16
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	672	951	1623
		% within Sex	9.6%	54.2%	18.6%
	Transfusion	Count	3	6	9
		% within Sex	.0%	.3%	.1%
	Not Classified	Count	592	254	846
		% within Sex	8.5%	14.5%	9.7%
	Ped Hemophiliac	Count	7		7
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	31	44	75
		% within Sex	.4%	2.5%	.9%
	Ped Transfusion	Count	4	1	5
		% within Sex	.1%	.1%	.1%
	Ped Other-Undet	Count		2	2
		% within Sex		.1%	.0%
Total		Count	6981	1753	8734
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	8	3373	3381
		% within Adult-Ped	11.1%	38.9%	38.7%
	African American	Count	42	3618	3660
		% within Adult-Ped	58.3%	41.8%	41.9%
	Hispanic	Count	22	1623	1645
		% within Adult-Ped	30.6%	18.7%	18.8%
	Asian-Pacific Islander	Count		41	41
		% within Adult-Ped		.5%	.5%
	Am Indian-Alaskan	Count		6	6
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		1	1
		% within Adult-Ped		.0%	.0%
Total		Count	72	8662	8734
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	34	6947	6981
		% within Adult-Ped	47.2%	80.2%	79.9%
	Female	Count	38	1715	1753
		% within Adult-Ped	52.8%	19.8%	20.1%
Total		Count	72	8662	8734
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 6

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	51	63	114
Diagnosis		% within Sex	.5%	1.9%	.9%
	1 (12-23 mo)	Count	19	18	37
		% within Sex	.2%	.5%	.3%
	2-4	Count	26	19	45
		% within Sex	.3%	.6%	.3%
	5-12	Count	20	17	37
		% within Sex	.2%	.5%	.3%
	13-19	Count	129	288	417
		% within Sex	1.3%	8.5%	3.1%
	20-24	Count	696	510	1206
		% within Sex	7.0%	15.0%	9.0%
	25-29	Count	1485	640	2125
		% within Sex	14.9%	18.8%	15.9%
	30-39	Count	4426	1088	5514
		% within Sex	44.5%	32.0%	41.3%
	40-49	Count	2311	566	2877
		% within Sex	23.2%	16.6%	21.5%
	50-59	Count	638	164	802
		% within Sex	6.4%	4.8%	6.0%
	60-69	Count	124	25	149
		% within Sex	1.2%	.7%	1.1%
	70+	Count	26	6	32
		% within Sex	.3%	.2%	.2%
	Unknown	Count	2		2
		% within Sex	.0%		.0%
Total		Count	9953	3404	13357
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	0 (0-11 mo)	Count		2	2
Age		% within Sex		.1%	.0%
	1 (12-23 mo)	Count	3	4	7
		% within Sex	.0%	.1%	.1%
	2-4	Count	11	10	21
		% within Sex	.1%	.3%	.2%
	5-12	Count	72	81	153
		% within Sex	.7%	2.4%	1.1%
	13-19	Count	41	74	115
		% within Sex	.4%	2.2%	.9%
	20-24	Count	236	288	524
		% within Sex	2.4%	8.5%	3.9%
	25-29	Count	548	470	1018
		% within Sex	5.5%	13.8%	7.6%
	30-39	Count	3236	1233	4469
		% within Sex	32.5%	36.2%	33.5%
	40-49	Count	3888	853	4741
		% within Sex	39.1%	25.1%	35.5%
	50-59	Count	1506	297	1803
		% within Sex	15.1%	8.7%	13.5%
	60-69	Count	333	77	410
		% within Sex	3.3%	2.3%	3.1%
	70+	Count	79	15	94
		% within Sex	.8%	.4%	.7%
Total		Count	9953	3404	13357
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	4104	537	4641
		% within Sex	41.2%	15.8%	34.7%
	African American	Count	3903	2397	6300
		% within Sex	39.2%	70.4%	47.2%
	Hispanic	Count	1881	455	2336
		% within Sex	18.9%	13.4%	17.5%
	Asian-Pacific Islander	Count	50	9	59
		% within Sex	.5%	.3%	.4%
	Am Indian-Alaskan	Count	10	1	11
		% within Sex	.1%	.0%	.1%
	Not Specified	Count	5	5	10
		% within Sex	.1%	.1%	.1%
Total		Count	9953	3404	13357
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	5795		5795
Exposure		% within Sex	58.2%		43.4%
	IDU	Count	1002	773	1775
		% within Sex	10.1%	22.7%	13.3%
	M-M & IDU	Count	876		876
		% within Sex	8.8%		6.6%
	Hemophiliac	Count	16	3	19
		% within Sex	.2%	.1%	.1%
	Heterosexual Contact	Count	966	1851	2817
		% within Sex	9.7%	54.4%	21.1%
	Transfusion	Count	4	8	12
		% within Sex	.0%	.2%	.1%
	Not Classified	Count	1170	643	1813
		% within Sex	11.8%	18.9%	13.6%
	Ped Hemophiliac	Count	10	1	11
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	100	116	216
		% within Sex	1.0%	3.4%	1.6%
	Ped Transfusion	Count	5	1	6
		% within Sex	.1%	.0%	.0%
	Ped Other-Undet	Count	9	8	17
		% within Sex	.1%	.2%	.1%
Total		Count	9953	3404	13357
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 6

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

				Adult-Ped		
				Adult/Adol		
			Pediatric	escent	Unknown	Total
Race-Ethnicity	White Non-Hispanic	Count	31	4609	1	4641
		% within Adult-Ped	13.3%	35.1%	50.0%	34.7%
	African American	Count	154	6146		6300
		% within Adult-Ped	66.1%	46.8%		47.2%
	Hispanic	Count	42	2293	1	2336
		% within Adult-Ped	18.0%	17.5%	50.0%	17.5%
	Asian-Pacific Islander	Count		59		59
		% within Adult-Ped		.4%		.4%
	Am Indian-Alaskan	Count		11		11
		% within Adult-Ped		.1%		.1%
	Not Specified	Count	6	4		10
		% within Adult-Ped	2.6%	.0%		.1%
Total		Count	233	13122	2	13357
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. PHR = PHR 6

Sex * Adult-Ped Crosstabulation^a

				Adult-Ped			
				Adult/Adol			
			Pediatric	escent	Unknown	Total	
Sex	Male	Count	116	9835	2	9953	
		% within Adult-Ped	49.8%	75.0%	100.0%	74.5%	
	Female	Count	117	3287		3404	
		% within Adult-Ped	50.2%	25.0%		25.5%	
Total		Count	233	13122	2	13357	
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. PHR = PHR 6